

Intra-Center Application Transfer Request for S.N. 10,092,658Section 1To: Art Unit 21 25 (PALMED)From: Art Unit 21 75This application appears proper for Class/Subclass 700/266+Reason: Control of pressure system
(risk assessment)Requested by: Popovici Date: 5/15/02Section 2☐ Accepted for Class/Subclass: _____ AU: 21 _____☐ Refused

Reason: _____

Suggest Class/Subclass _____ AU: _____

☐ Forward (or Return) to AU: 21 _____ (PALMED)☐ Forward to Classification TC 2109 (PALMED)

by: _____ date: _____

Section 3

To: Art Unit 21 _____ (PALMED)

From: Art Unit 21 _____

This application appears proper for Class/Subclass _____

Reason: _____

Requested by: _____ Date: _____

Section 4☐ Accepted for Class/Subclass: _____ AU: 21 _____☐ Refused

Reason: _____

Suggest Class/Subclass _____ AU: _____

☐ Forward (or Return) to AU: 21 _____ (PALMED)☐ Forward to Classification TC 2109 (PALMED)

by: _____ date: _____

Section 5 – DISPOSITION BY POST CLASSIFIER☐ This dispute was resolved.☐ This dispute was not resolved.

Reason: _____

☐ Forward to Art Unit _____ Class/Subclass _____☐ Forward to AU 2109 INTRA-TC Dispute Resolution Team

Post Classifier: _____ Date: _____

Concurring Examiner/Classifier: _____ Date: _____

Section 6 – DISPOSITION BY DISPUTE RESOLUTION TEAM☐ This dispute was resolved.☐ This dispute was not resolved. *

* Fill out section I of PTO Form 447A (rev. 7/98) and return to your Gatekeeper

Reason: _____

Forward to Art Unit: _____ Class/Subclass _____

Team Member: _____ Date: _____

Concurring Team Member: _____ Date: _____